# XYRON<sup>®</sup> Ezlaminator<sup>®</sup> The easiest way to laminate

## User Guide

The Xyron® ezLaminator® is perfect for your office, school and home laminating needs. The patented easy loading cartridge offers you all the flexibility and quality you expect from Xyron without heat, electricity or batteries. The ezLaminator allows you to effortlessly apply lamination to your document or projects.



## Features & Functions

#### Patented Easy Loading Cartridge:

Allows you to replace cartridge in seconds.

#### Handle: 🔶

Advances items through the machine when turned clockwise.

The Input Tray: • Use to feed items into machine.




#### The Built-in Grip/Carry Handle:

Take your machine almost anywhere.

#### Removable Trimmer:

Makes it easy to cut.



## Unloading & Loading



Open cartridge compartment by lifting up on latch.



Gently pull cartridge up and out of machine.



Open lid. Slide cartridge down into tracks on machine sides with exposed roll of material facing open lid cover. Close lid securely. Advance laminate and trim.

## Basic Operation as Easy as 1-2-3!



**Insert Item** Place item on feed tray.



**Turn Handle** Guide item forward while slowly turning knob clockwise until your item comes out of the back of the machine.



#### Trim

Press down on cut blade and slide to the left or right to cut. Note: For a smooth cut, place your finger all the way back to the back of the cut blade holder.

#### To Replace the Cut Blade



Loosen and remove the screw in the cut bar with wrench. Remove colored plastic insert and slide the old blade off cut bar (safely discard old blade).



Carefully slide new blade onto cut bar. Note: Sharp edge of blade should be facing the machine. Replace the colored plastic insert and secure with wrench.

## Helpful Hints

- For best results, turn the handle slowly.
- If machine rollers pick up adhesive after use, clean with isopropanol alcohol.
- Store your machine and cartridge between 40°F and 70°F
- Can laminate up to 9" wide and up to 60' long.
- Xyron laminates are adhesive based, so they will not peel or separate. You can cut close to edge or into document itself.

### Warranty Information

Xyron, Inc. warrants the Xyron® ezLaminator® is free from defects in material and workmanship for a period of one (1) year from the date of purchase. Xyron, Inc. will repair or replace a defective product or part without charge, with proof of purchase. If the product is damaged by neglect or misuse, the warranty is null and void.

To register your product online, please go to www.xyron.com and click on the product registration tab.

### **Customer Service**

We want you to be happy with your purchase of Xyron products. If for any reason you have a problem or a question, we would like to hear from you before you consider returning it to the store where you bought it. In many cases, we will be able to solve your problem or answer your question right over the phone; so please contact Xyron Customer Service toll-free at:

1-800-793-3523 or 1-480-443-9419

You can also e-mail us at: customerservice@xyron.com

#### For customer service outside of the U.S.

Australia: 61 2 8899 8500; australiacustomers@esselte.com New Zealand: 64 9 272 1600; nzcustomers@esselte.com

The purchase or acquisition of this product does not confer the right or license to use the machine and cartridges in the retroreflective field or to make or sell machines or cartridges for use in the retroreflective field. Protected by US patents: 5,580,417, 5,735,998, 5,961,779, 6,244,322, 6,270,612, RE37345, 6,602,376, 6,660,120, 6,675,854, 6,698,487, 6,742,428, 6,810,935, 6,814,693, 6,832,639, 6,840,298, 6,843,296, 7,087,280.

©2014 Xyron, Inc. 8465 N. 90th St. Suite 6 Pima Center Scottsdale, AZ 85258

For more information, visit **www.xyron.com** 

